

S-440c

Franking machines

Intelligent, reliable, mailing system



Join us on



  
**NEOPOST**  
Send.Receive.Connect.

# Optimise efficiency. Ensure quality.

## Versatile mailroom system

When it comes to getting a job done, thriving businesses count on reliable processing that adds value and streamlines performance. Neopost's IS-440c delivers practical solutions that offer maximum versatility to give you the results you need.

With state-of-the-art technology and myneopost online services under your control, you'll be sure to have the best solution to meet your requirements.

The whisper-quiet IS-440c is highly featured and easy to operate. You'll appreciate the sleek ergonomic design that saves you space and easily integrates into your business environment.

Reliable processing,  
simple and fast

Hands free, automatic  
envelope feeding

Space saving weighing  
platform

Whisper-quiet  
operation

**myneopost** online  
services



### Pricing your mail has never been easier

Don't be confused by postal rates. Let the IS-440c Rate Wizard give you a hand so you don't have to be a postal expert. Whatever rate you need is

in the IS-440c and, save even more time by eliminating keystrokes when you select the mail class you need from the shortcut keys menu.

From single envelopes to larger packages, you'll have the edibility you need to weigh and manage your mail with ease.



### Give the right impression

Promote customer relations with printed messages that enhance the professional look of your organisation. Select advertising slogans to reinforce the communication to your customers.



### Easy to use operational control

An intelligent operating panel puts even the occasional user in control with a simple-to-use navigational menu.

Eliminate errors and improve productivity with a host of smart functions and effortless menu prompts that deliver the extensive features of the IS-440c.



### Mix it up - IS-440c will sort it out

Fast, accurate weighing and franking. Using Differential Weighing, simply place all your mixed weight mail on the weighing platform, remove an envelope and the correct rate is calculated.

The IS-440c is as ready as you are. With Smart Start technology, each time an envelope is removed from the weighing platform in Differential Weighing mode, the Auto Feeder starts and is ready to process mail or automatically dispense a label.



## MAILMARK ENABLED

1. Automatic feeder/sealer quickly processes stacks of envelopes from 87mm x 125mm to 250mm x 325mm.
2. Integrated automatic label dispenser.
3. Differential weighing with Smart Start technology calculates and delivers the exact postage for each item removed from the scale.
4. Space saving integrated 3kg weighing platform and external platforms available with up to 30kg capacity.
5. Compact, extendable catch tray accommodates DL to C4 envelopes.
6. Dashboard display provides operation overview and user friendly prompts and menus.
7. Shortcut keys ensure maximum efficiency.



### Monitor, track and control postal Expenditure online

If you have to account for your mail, use **myneopost**.

**myneopost** online services give you greater control over your mailing system and postal expenditure. The IS-440c connects to **myneopost** to help you manage your operations more efficiently.

### Stay connected with LAN

Save time and increase efficiency by taking advantage of the LAN connection included as standard across the IS Range.

With the ability to connect to almost any network type automatically the constant connection allows for statistic uploads, rate change updates, recrediting, system upgrades and all other downloads to be completed with ease. Running securely via your internal network, the LAN connection removes the need to find and use a traditional analogue phone line.

### Mail accounting solutions that keep you in control

Optimising budget and effective costs control are expected in today's business environment. Neopost MAS delivers the detailed reports you need to track, analyse, allocate, forecast, and consolidate your mail processing activity by mail class, department, time-period and more, even from a distance.

You can establish budget by department and then monitor costs with automatic alerts or limits controlling overspending. Connect to a PC with Neopost MAS installed and you're never out of control.

## Move your mail with practical intelligence

### Performance assured

- Ergonomically designed with whisper-quiet operation
- Auto feeder for fast, hands-free batch processing
- Integrated or external weigh platforms
- Automatic label dispenser
- Differential weighing for fast, accurate processing

### Efficiency optimised

- Smart Start technology eliminates keystrokes and saves time. Each time a mail piece is removed from the weigh platform, the system is set in motion
- Shortcut keys deliver quick selection for operational efficiency
- Automatic setting of postal class rate die eliminates errors, ensures compliance and improves productivity
- Easy postal rate selection with failsafe Rate Wizard, quick shortcuts or select from most recently used rates
- NeoFunds makes it easy to keep your mail moving, simply download postage credit now and pay later

### Cost control

- PIN code protection helps you control usage
- Default rate setting helps eliminate accidental mis-posting
- Online access to detailed postal usage by department, time period and postal class

### Online management

- Convenient access to postal and dept usage on **myneopost**
- Simple, postal rate change downloads
- Simplify ink re-ordering with low-ink email alerts
- Get added support with remote diagnostics

## We've got you covered

Neopost customer support is there for you with our UK based contact centre and nationwide technicians who are ready to assist you. In fact, our dedication to providing you with world class customer satisfaction is so advanced that we offer automatic diagnostics with our IS product line. By uploading systems data, we will be alerted if you are having trouble.

With **myneopost**, this remote access to your system allows us to analyse the situation remotely and then fix it accordingly.

Eco-friendly, the upgraded Neopost IS range is designed to reduce your environmental footprint.

Being ISO 14001 (environmental) certified, Neopost will serve you according to the highest process, quality and environmental standards.

Specifications	
Operational efficiency	
Speed	95 letters per minute
Envelope - minimum	89mm x 127mm
Envelope - maximum	229mm x 324mm
Maximum envelope thickness	12mm
Envelope orientation	Landscape or Portrait
Label dispenser	Automatic
Imprint memories	9
Mail quality and security	
Advertising slogans	8 standard/2 open
Mail class	Automatically printed
Incoming mail date stamp	
Budget optimisation	
Account reporting and control	25 departments
myneopost services	
Low-Ink E-Mail Alerts	
Remote diagnostics	
Monthly postage usage (value and items) data archived	up to 13 months
System dimensions	
Length x Height x Depth (includes Autofeed catch tray)	1043 mm x 298mm x 375mm
Options	
Weighing platforms	3, 5, 10 or 30kg
Differential Weighing	
Department upgrade	100

## Why choose Neopost?

Neopost make it easier to send and receive mail, email, SMS and packages so you can connect better with your external and internal customers.

Our equipment and advanced software can help you reduce costs, grow your business, manage digital communications and comply with latest legislation.

We can assist with design, production and distribution of transactional and marketing mail. And when customers respond we make it simple to process, track and store documents and emails.

Our team of expert Account Managers will tailor solutions to meet your needs. An extensive support network of field engineers, contact centre and on-line tools are available to ensure our solutions keep delivering.



Neopost Limited,  
Neopost House, South Street,  
Romford, Essex RM1 2AR.

Tel.: (01708) 746000  
Fax: (01708) 726361  
www.neopost.co.uk



FS 618692 EMS 618693 OHS 618694

We are ISO 9001, ISO 14001 and OHSAS 18001 certified and Neopost offers you the highest process, quality, safety and environmental standards.